


# **Design Report of the High Voltage Battery Pack for Formula SAE Electric**



Liam West, Barry Shepherd, Nathaniel Karabon, Josh Howell, Mike Pyrtko  
Department of Mechanical Engineering  
University of Wisconsin-Madison  
December 12th, 2016

# Executive Summary

This year, Wisconsin Racing (Formula SAE at UW-Madison) is building its first ever fully electric race car in addition to the combustion engine powered race car that it traditionally builds. Powering the electric race car is the accumulator, which is a custom-built lithium ion battery pack that includes all of the controllers and hardware necessary to regulate the battery, as well as the power distribution for the motor controllers. Being that this is the first electric vehicle that Wisconsin Racing has attempted to make, a significant amount of time was devoted to background research and decision matrices to ensure that the accumulator met the performance goals and followed all of the FSAE rules. Using a lap simulator for the endurance event at the FSAE competition at Lincoln, the electrical performance goals were established. Extensive lists of components such as battery cells and battery management systems were created so that potential options could be compared side-by-side to find the optimal component. To meet the FSAE rules, structural and thermal FEA was performed on the design as it progressed. Constantly changing designs in the rest of the vehicle meant that the accumulator design had to be continuously updated to accommodate those changes.

After months of iterative development, the structural design of the accumulator has been finalized and is being fabricated. A cooling system has been incorporated into the accumulator that can be modified once the thermal model has been validated against test data to ensure that the cells remain within safe operating temperature ranges throughout the endurance event. In addition, a prototype for the braking system needed for the accumulator charging cart to meet FSAE rules has been fabricated.

The next steps for the project are to fabricate the accumulator structure and purchase all of the components. Once the accumulator has been put together, testing both inside and out of the vehicle will be conducted to ensure proper operation of the system.

## Table of Contents

Executive Summary .....	2
Introduction - Background .....	5
Reaching Current State of Design .....	5
Background Research .....	6
Battery Cells .....	6
Rules and Regulation .....	6
Current Design .....	7
Cells .....	7
Cell Selection .....	7
Cell Configuration .....	9
Cell Temperature Monitoring .....	12
Battery Management System Selection .....	13
Charging System .....	14
Charging Cart .....	14
Charger .....	14
Cooling System .....	16
Separation and Connectivity .....	16
Fusing .....	16
Accumulator Insulation Relays .....	17
Wiring .....	18
Overall Accumulator .....	20
Electrical Parameters .....	20
Physical Parameters .....	21
Location in Vehicle .....	22
Analysis .....	23
Finite Element Analysis .....	23
Cooling .....	27
Calculations .....	27
Thermal Modeling .....	29
Appendix A: .....	32
Relevant FSAE Rules .....	32
Table A-1 Relevant FSAE Structural Accumulator Rules and Regulations .....	32
Table A-2 Relevant FSAE Charging Rules and Regulations .....	33
Table A-3 Relevant FSAE Accumulator Electrical Rules and Regulations .....	34
Appendix B: .....	36
Decision Matrices and Informative Calculations .....	36
Table B-1: Battery cells that were considered for using in the accumulator. ....	36

Table B-2: Battery management system decision matrix.....	37
Figure B-1: Equations used for calculating the specific heat of lithium ion batteries using a data from a calorimeter test. ....	38
Figure B-2: Equations used for calculating the brake force required to stop the charging in 0.5 [m] with spring deflection of 0.01 [m]. ....	38
Appendix C:.....	39
Component Datasheets.....	39
Samsung INR18650-25R Technical Data .....	39
Energus Power Solutions Li8P25RT Technical Data .....	39
Orion Battery Management System Technical Data.....	40
Coroplast High Voltage Wiring Technical Data .....	41
TE Raychem 22 AWG Accumulator Low Voltage Wiring Technical Data .....	41
TE EV200AAANA Accumulator Insulation Relay Technical Data .....	42
Eaton Bussman 170M3418 Main Tractive System Fuse Technical Data .....	42
Eaton Bussmann 160LET Motor Controller Fuse Technical Data .....	43
ElCon PFC 5000 5kW 96V 44A Battery Charger Technical Data .....	43
References.....	45

# Introduction - Background

Every year, the Society of Automotive Engineers (SAE) holds a competition for college undergraduates to design an automotive vehicle. The goal for the competing teams is to design and build a 1/3-scale Formula-style race car with the best overall design, manufacturing, performance, and cost. Going through the design process from concept to completion gives students priceless experience in design, simulation, and hands on knowledge. Although Wisconsin Racing, the University of Wisconsin - Madison's Formula SAE (FSAE) team, has been successful for the last two decades in the internal combustion engine competition, the rise in global warming and increasing pollution levels, has made it essential to find a viable alternative to the internal combustion engine powered car [2]. With this responsibility, it is imperative that engineers have the necessary knowledge and experience with fossil fuel saving methods. This year, the team has put it upon themselves to build two cars, the traditional combustion vehicle and an all-new formula electric race car. This will greatly expand the field of expertise on the team and prepare us for an evolving job environment. However, designing an electric vehicle for the first time will be a tremendous undertaking. In order to make this project more manageable, both vehicles will attempt to use as many of the same components as possible. To further insure our success, we have taken one of the most dissimilar vehicle design component under the guidance of a knowledgeable faculty advisor through senior design.

The aim of this project is to design and build the high voltage battery pack for a FSAE electric racecar. The high voltage battery pack will need to contain the battery cells, fuses, battery management system and much more. The driving constraints for the project are the FSAE rules, performance goals, and integration within the rest of the vehicle as it is being designed. Because the team has never built a high voltage battery pack before, extensive background research and calculations were performed to begin the design. One of excellent source of inspiration was the accumulator designs of other FSAE electric teams [1][3]. As the design progressed, numerous changes had to be made to comply with all FSAE rules and to be compatible with constantly changing packaging constraints from the rest of the vehicle. After months of hard work, the design for the accumulator meets all goals and requirements has been finalized. The next steps are to order all of the necessary components and begin fabricating the accumulator with the goal of being able to test in the spring.

## Reaching Current State of Design

Reaching the final accumulator design was a complex and iterative process. With no clear starting point and multiple ways to design an accumulator, significant time had to be devoted to background research, calculations, and ideation to ensure an optimal final product.

# Background Research

## Battery Cells

**Battery Manufacturers.** It was quickly discovered that there are several options for battery manufacturers throughout the world. The majority of battery companies are located in Asia, such as Melasta, LG Chem, and Samsung. One of the biggest difficulties involved with working with foreign companies is the added complexity of international purchasing and shipping. To attempt to avoid these complications, extra emphasis was put into finding battery companies with distributor locations within the United States such as A123 Systems and Turnigy Power Systems.

**Battery Models and Performance Specs.** Most battery manufacturers that were identified made several different types of battery cells. There were two categories of cells based on geometry: cylindrical and pouch. The cylindrical cells have their electrodes wrapped into a tube with the terminals at either end of the cylinder [4]. The electrodes in pouch cells lay parallel to each other in a single plane, forming a flat rectangular shape with the terminals at the same edge of the cell. Lithium ion pouch cells need to be under pressure to operate at peak performance. One advantage of the cylindrical cells is that their construction acts as a pressure vessel and holds the cell at the ideal pressure, while the pouch cells need an external structure to apply the necessary pressure which complicates the overall design [4]. Despite this advantage, cylindrical cells are more difficult to package efficiently since pouch cells have more options for attaching electrical leads to the terminals.

**Student Designed Lap Simulator.** A great deal of time was put into the development of this year's student designed lap simulator, or "Lapsim." Lapsim is a Matlab script that will take an overhead image of a track with a known pixel to physical distance ratio, and run a theoretical vehicle through that track. This script considers wind resistance, downforce, wheel slip, roll, pitch, yaw and many other vehicle dynamics and physical characteristics (weight, estimated center of gravity, etc.). This is what drives our design, since this tells us how much energy the car will need in the battery to complete all the events at the competition. With a generous completion safety factor of 1.2, Lapsim told us that we needed around 6.5 kWhr of energy while running the car extremely aggressively and operating all parasitic losses at 100% the entire time.

## Rules and Regulation

**Structures.** There are many rules that are pertinent to the design of the chassis and structure for the accumulator. The major rules, found in [Table A-1](#), that must be taken into great consideration are what materials the accumulator structure can be constructed of, the minimum thickness that each given material must be and the accelerations that the structure must withstand while being fully loaded in the vehicle. Many of the pertinent regulations are listed in detail in rule EV3.4.6. The reason for the strictness of this rule is because if the accumulator chassis is damaged it can become a serious safety hazard to the overall vehicle, the drivers and those near the vehicle as well as potentially rendering the vehicle inoperable and out of the competition.

**Charging.** There are several rules related specifically to accumulator charging and they are mostly focused on safety. The most important rules related to charging are listed in [Table A-2](#). The majority of the rules deal with being able to monitor the accumulator during charging and being able to stop charging in case a fault occurs. Rule EV5.8.1 specifically states that the charging shut down circuit needs to consist of at least one 25 mm shutdown button, the insulation monitoring device, and the battery management system. Another important pair of rules are EV8.2.2 and EV8.2.3, which state that the accumulator must be removed from the vehicle for charging. They also state that, when the accumulator is outside the vehicle, it must be transported on hand cart that can support the weight of the entire accumulator and is equipped with a dead man's brake.

**Electrical.** The most significant rules with regards to the electrical side of the accumulator are related to energy limits, controls, isolation, and grounding. These rules are located in [Table A-3](#). Our competition limits our battery pack to a maximum voltage of 300 V and maximum power output of 80 kW. All equipment that is used to work on the accumulator must be properly insulated. The cells need to be broken into segments with a maximum potential between cells of 6 MJ and a maximum voltage of 120 V. All frame components within 100 mm of the high voltage system must be less than 5 ohms to ground and all fasteners and other components within 100 mm must have less than 300 ohms to ground. The accumulator needs to be properly fused and must have at least two isolation relays.

## Current Design

Using the design constraints provided by lapsim and our motor controllers, we had to design a system that had a maximum voltage around 120 V and a capacity of around 6.5 kWhr that passes rules and fits within our space constraints. The cells and the battery management system were the first components that were determined since they drive a lot of other component selection and design, and holds more mass and volume than any other component in the accumulator.

## Cells

### Cell Selection


To ensure optimal performance from the accumulator, a significant amount of time was devoted towards extensively investigating as many battery cell options as possible. Both packaging criteria and performance data was considered. For each cell researched, the nominal voltage, capacity, peak discharge, and mass were recorded. A full list of batteries considered can be found in [Table B-1](#) in Appendix B. From the voltage and capacity, the total number of cells needed and what configuration they would be arranged in was calculated. The configuration is determined such that you calculate the amount of series connections necessary to obtain the maximum accumulator voltage as seen in equation 1 below.

$$\text{Maximum accumulator voltage [V]} = \text{maximum cell voltage [V]} * \# \text{ series connections} \quad [1]$$

Knowing this number of necessary series cells, we can now calculate the number of parallel connections between the batteries in order to obtain the proper capacity.

$$\text{Capacity} = \text{nominal cell voltage [V]} * \text{cell capacity [Ah]} * \# \text{ series connections} * \# \text{ parallel connections} \quad [2]$$

With these two calculations, we now know how many batteries are required and have a rough estimate of total battery weight and volume. The specific power was also calculated by taking the maximum power output of the cell and dividing it by the cell mass. Performance characteristics such as specific power allow the cells to be directly compared to each other so that the most ideal cell with the largest specific power could be identified [5]. Energus, a battery pack manufacturer from Lithuania, contacted the team about its products. They manufacture an 8-cell module that is specifically geared towards Formula SAE Electric which features threaded connections for ease of assembly, internal circuitry that outputs the highest cell temperature, and built in fuses.



*Figure 1: 1s8p Energus Power Solutions Submodules*

The battery cells used are a cylindrical, 2.5 Ah lithium polymer battery in a standard 18650 form factor from Samsung. These [Samsung INR18650-25R](#) cells were purchased and assembled into the 1s8p configuration submodule from Energus Power Solutions for easier monitoring, packaging and assembly.




Cell Manufacturer and Type	Samsung INR18650-25R
Cell nominal capacity:	2.5Ah
Maximum Voltage:	4.2V
Nominal Voltage:	3.6V
Minimum Voltage:	2.5V
Maximum output current:	100A for less than 1 second
Maximum nominal output current:	20A
Maximum charging current:	4A
Maximum Cell Temperature (discharging)	60°C
Maximum Cell Temperature (charging)	45°C
Cell chemistry:	LiNiCoAlO <sub>2</sub> [NCA]

*Table 1 Main cell specification*


## Cell Configuration

The accumulator system consists of 720 battery cells with 30 series groups of 24 cells connected in parallel. Within those parallel groupings of cells, sets of 8 are packaged in what we are calling “submodules” in a 1s8p configuration from Energus Power Solutions (part number [Li8P25RT](#)). This packaging consists of a UL 94 V-0 rated plastic encasement, internal fusing, built-in temperature sensing, and 8mm threaded high voltage path connections. Three of these submodules are then connected in parallel via aluminum busbars. This leads us to a full accumulator with a 30s3p configuration of submodules

The busbars connecting the submodules will be attached via the 8mm bolts threaded into the internal threads that come attached to the copper within. To ensure positive locking, a tab washer will be installed between the busbar and the bolt head, bending around each to prevent rotation.



*Figure 2: Close-up of module*



*Figure 3: Overhead of accumulator showing layout of cell and connections*

The accumulator is separated into 5 isolated battery sections, each containing 6 series connections. Each battery section has a peak voltage and energy capacity of 25.2 V and 5.8 MJ, respectively. The sections of the accumulator are physically separated by the steel internal walls, and the batteries themselves are physically separated by the non-conductive, UL 94 V-0 rated plastic enclosures.

Internal cell fusing is included in the Energus Power Solutions package, with 32 fuses included in each 1s8p package (2 fuses on each cell end). The fuses are made of nickel wire and are welded straight to the cells and copper conductor, deeming them non-resettable. The fuse blow curve is shown in Figure 4, and the fuses are depicted in Figure 5.




Figure 4: Graph of current rating for the internal fuses inside the Energus package




Figure 5: Simplified render of welded nickel wire fuse connecting cell to copper busbar

Using these “submodules” as we call them would simplify the design and expedite the manufacturing process. In addition, their packs used Samsung 18650-25R cells, which were already a top cell candidate in our initial cell tables. Because of the ease of packaging, availability of technical support, and performance of the battery, the Energus 8-cell module with Samsung 18650 cells was chosen as the optimal battery.

## Cell Temperature Monitoring

Each grouping of 8 cells in the Energus submodule has a 4-point temperature sensor built in, which sit on the negative pole of the 2 adjacent cells, see figure 6. The output of all 4 temperature sensors gets fed into a 2-wire system as the maximum temperature reading between them. This allows us to sense the temperature of all the cells in each submodule without quadrupling the amount of wires.

All these outputs are connected to the Orion BMS through a custom Thermistor Expansion Module, which we had to design ourselves because of the unique voltage temperature curve as seen in figure 7. The sensor is a temperature-variable voltage shunt reference, acting as a Zener diode whose voltage depends on temperature. By taking the voltage drop measured across and referencing that against the temperature-voltage response curve in figure 7, we will know the highest temperature sensed in the module.





Figure 6: Placement of the 4 temperature sensors within the Energus submodule



*Figure 7: Temperature-Voltage response of internal Energus submodule sensors*

## Battery Management System Selection

The battery management system (BMS) for an electric vehicle can vary immensely depending on which manufacturer and model you decide to design around. A complete list of which BMS systems we looked can be found in [Table B-2](#). One of the major factors that drove our decision was whether the BMS had a centralized topology. A centralized topology means that all of the voltage and thermistor tap information is processed within a single BMS. This is beneficial since you will only have two possible points of connection failure and do not need to design, manufacture individual cell PCBs in order to process the information before sending it to the BMS. Many other factors were considered, including whether it could communicate over CAN, how many cells it could monitor both with voltage and temperature, and whether it was isolated from its voltage taps.

The BMS utilized in our design is the [Orion BMS](#) from Ewert Energy Systems. This BMS is commercially available and designed specifically for electric and hybrid vehicles. It supports sets of 12 cells up to 108 battery cells or a variety of different battery chemistries. Since we have 30 series groups to monitor, we had to acquire a BMS with a 36 cell or above configuration. It is designed to work in high noise environments and in harsh temperatures ranging from -40 to 80 degrees Celsius. The BMS can read cell voltages from .5 to 5 volts. The accumulator pack consists of lithium ion cells, the maximum cell open circuit voltage limit is set to 4.2 volt and minimum open circuit voltage limit set to 3 volts. Measurement resolution is 1.5mV. The ADC within the AMS has a 12-bit resolution with a  $\pm 10\text{mV}$  accuracy rating. If the voltages get near the limits it opens the accumulator insulation relays (AIRs). The temperature limit is set to be 60 C and if this temperature is exceeded it opens the AIRs. All the sense wires are electrically and magnetically isolated by the BMS. In the case that an error is detected and the BMS needs to open AIR's, it switches the internal relay which

connects to the internal shutdown circuit. Galvanic isolation between the tractive system and the grounded low voltage system connections occurs within the BMS.

Electrical Specification Item	Min.	Typ.	Max	Units
Nominal Supply Voltage	10	12	16	Vdc
Supply Current – Active		250		mA
Supply Current – Sleep		650		uA
Operating Temperature	-40		80	C
Cell Voltage Measuring Range	0.5		5.0	ms
Number of Cells Supported in Series	12		108	cells

*Table 2 BMS Parameters*

## Charging System

### Charging Cart

According the FSAE rule EV8.2.2, any time the accumulator is taken out of the vehicle it must be transported on an accumulator container hand cart equipped with a deadman's braking system. In order to meet this requirement, several routes could be taken. The first would be to source a push cart with a deadman's brake already equipped that could provide enough braking force to stop the cart loaded with the accumulator and high voltage charger. Few companies sell push carts with the option to have a deadman's brake attached and the carts that do are expensive for what you actually get. These carts sell for \$800 plus. Because this option would be so expensive, the next route investigated was buying deadman braking casters and attaching them to a push cart. Again, not many companies sell deadman braking casters that are rated to support the weight of our accumulator and charger. The ones that do are sold for at least \$200 per caster. By buying a push cart, roughly \$200, and two deadman braking casters this method would cost us over \$600. Although this is expensive, it's an improvement from buying a push with deadman casters already equipped that couldn't handle the weight. The final route investigated was buying pushcart and creating a deadman's braking system in house. This route would be much more time intensive compared to the first two options but will be much less expensive. Since this is required by rules and will need to be operational for potentially multiple years, we decided to go with the second option of sourcing braking casters, but instead of purchasing a cart, we would fabricate our own.

### Charger


The accumulator will be charged with a [PFC 5000 Battery Charger](#) from ElCon, part number TCCH-96-44. During charging, the BMS will be balancing cells by passing small amounts of amperage across the voltage sense wires. The charger will be connected to the accumulator and BMS through an external charge plug that connects the positive and negative terminals of the accumulator before the AIR's. Overvoltage protection is provided by the CAN communication



between the charger and the BMS and the BMS disabling the contactors separating the modules. The charger will only become live when connected to the accumulator due to a low voltage interlock loop within the connector. There will also be an emergency shutdown button on the charging cart as a manual failsafe.

Charger Type:	EICon PFC 5000 TCCH-96-44
Maximum charging power:	5kW
Maximum charging voltage:	130V
Maximum charging current:	44A @ 230 VAC, 20 @ 115VAC
Interface with accumulator	CAN-Bus
Input voltage:	230 VAC, 115 VAC
Input current:	20A rms @ 120 VAC / 23 A rms @ 230 VAC

*Table 31 General charger data*



*Figure 8: Charging port that will connect the accumulator to the EICon charger*

## Cooling System

Based on the thermal models made for the batteries, the cells would exceed their maximum operating temperature of 60° C before the end of the endurance event. Personal experience with 18650 cells in Milwaukee Tool batteries and consulting with our faculty advisor, Glenn Bower, lead us to believe that the heat generation seen in the thermal models may be higher than what would occur in reality, even after taking into account the fact that the thermal models assume adiabatic conditions. If the actual heat generated by the batteries is small enough, a cooling system may not be needed. The thermal models have to be validated against measured data to provide a definitive answer as to whether or not a cooling system is needed. Because the thermal has yet to be validated, a basic air cooling system was designed and packaged into the accumulator. It is easier to design and package a cooling system while the rest of the vehicle is being designed than to wait until the thermal model is validated and changing other components would be difficult. If the validated model shows that a cooling system is not needed, the air cooling system that was designed will not be implemented, freeing up extra space if un-foreseen changes need to be made to other components last minute.

## Separation and Connectivity

### Fusing

The main high voltage tractive system current path is protected by one main fuse, a [170M3418 fuse](#) from Bussmann, within the High Voltage Disconnect. Additionally, four smaller, stud-mount [160LET fuses](#) from Bussmann (an Eaton company) protect each of the motor controllers. These smaller fuses connect the negative terminal of each motor controller to the negative terminal distribution busbar of the accumulator.

Fuse manufacturer and type:	Bussmann, 170M3418
Continuous current rating:	350A
Maximum operating voltage	550VDC
Type of fuse:	High speed
I <sup>2</sup> t rating:	68500A <sup>2</sup> s at 660VDC
Interrupt Current (maximum current at which the fuse can interrupt the current)	200kA

*Table 4 Basic main tractive system fuse data*



Fuse manufacturer and type:	Bussmann, 160LET Fuse
Continuous current rating:	160A
Maximum operating voltage	150VDC
Type of fuse:	High speed
I <sup>2</sup> t rating:	16000A <sup>2</sup> s at 240VDC
Interrupt Current (maximum current at which the fuse can interrupt the current)	200kA

*Table 5 Basic motor controller fuse data*

<i>Location</i>	<i>Wire Size</i>	<i>Wire Ampacity</i>	<i>Fuse type</i>	<i>Fuse rating</i>
<i>Aluminum Busbars connecting Cells</i>	<i>50mm<sup>2</sup></i>	<i>350 A</i>	<i>170M3418 Fuse</i>	<i>350 A</i>
<i>Shielded Copper Cable Accumulator to Motor controller</i>	<i>16mm<sup>2</sup></i>	<i>200 A</i>	<i>160LET Fuse</i>	<i>160 A</i>
<i>Shielded Copper Cable AIR to HVD</i>	<i>50mm<sup>2</sup></i>	<i>400 A</i>	<i>170M3418 Fuse</i>	<i>350 A</i>
<i>TE KILOVAC EV200 Contactor</i>	<i>-</i>	<i>500 A</i>	<i>170M3418 Fuse</i>	<i>350 A</i>
<i>Cell Voltage Taps to BMS</i>	<i>22 AWG</i>	<i>7 A</i>	<i>Orion BMS Internal Fuse</i>	<i>5 A</i>

*Table 6 Fuse Protection Table*

### **Accumulator Insulation Relays**

The AIRs used are normally open KILOVAC EV200AAANA Contactors rated for 500 amps continuous current from Tyco Electronics. These insulation relays are used between each of the modules and between the negative and positive most battery terminals before the high voltage motor controller distribution busbars.

Relay Type:	KILOVAC EV200
Contact arrangement:	1 Form A (SPST-NO)
Continuous DC current rating:	500A
Overload DC current rating:	2000A for 10sec
Maximum operation voltage:	900VDC
Nominal coil voltage:	12VDC
Normal Load switching:	Make and break up to 300A
Maximum Load switching	10 times at 1500A

*Table 2 Basic AIR data*

## Wiring

Knowing the size of our battery pack, the expected aerodynamics and kinematics of the vehicle, we used our student developed lap simulator to get an accurate estimate of our nominal current draw and how long each maximum current draw would occur. The maximum current from the accumulator occurs during heavy acceleration and high speed when the total vehicle power output is just below the 80 kW limit.

The maximum and nominal current draw from the accumulator at 50% state of charge (108 VDC) with a 20 kW regeneration and an 80 kW power limit are 950 A and 240 A rms, respectively. Current draws of over 800 A only occur for a maximum of 0.5 seconds.

Wire type	Coroplast, Silicone-insulated single-core high-voltage automotive cables, screened - Copper
Continuous current rating:	400 A @ 60°C
Cross-sectional area	50 mm <sup>2</sup>
Maximum operating voltage:	900VDC
Temperature rating:	180 °C
Wire connects the following components:	Accumulator to HVD

*Table 8 Wire data of Coroplast, 50 mm<sup>2</sup>*


Wire type	Coroplast, Silicone-insulated single-core high-voltage automotive cables, screened - Copper
Continuous current rating:	200 A @ 60°C
Cross-sectional area	16 mm <sup>2</sup>
Maximum operating voltage:	800VDC
Temperature rating:	180 °C
Wire connects the following components:	Accumulator to Motor Controller

*Table 9 Wire data of Coroplast, 16 mm<sup>2</sup>*

Wire type	TE Raychem, 55A0111-22-9
Continuous current rating:	7A
Cross-sectional area	0.326 mm <sup>2</sup> , 22 AWG
Maximum operating voltage:	600VDC
Temperature rating:	150 °C
Wire connects the following components:	Cell to BMS, Contactors, and Pre-charge/discharge circuit

*Table 10 Wire data of Raychem, 0.326 mm<sup>2</sup>*

Instead of maintenance plugs our design utilized normal open contactors to separate the different battery sections. The contactors are the same as those used for the AIRs. Inside the Accumulator, all connections are made by aluminum 6061 busbars, positive locking tab washers and head bolts. There is no high voltage cabling internally, just connecting external components (i.e. HVD, motor controllers) to the accumulator.



*Figure 9: Render of contactor placement as well as high voltage busbar layout*

## **Overall Accumulator**

### **Electrical Parameters**


The accumulator pack consists of 720 lithium polymer battery cells, arranged in a parallel-series configuration. Twenty-four cells are connected directly in parallel, and thirty of these sets are then connected in series. Each module of the accumulator contains 6 series connections, and is separated from the others by high voltage contactors.

Maximum Voltage:	126VDC
Nominal Voltage:	108VDC
Minimum Voltage:	75VDC
Maximum output current:	1080A for 10 sec
Maximum nominal current:	480A
Maximum charging current:	96A
Total numbers of cells:	720
Cell configuration:	30s24p
Total Capacity:	23.3 MJ, 6.48 kWh
Number of cell stacks < 120VDC	5

*Table 11 Main accumulator parameters*

## **Physical Parameters**

The accumulator container consists of a welded, bent 4130 sheet steel lower chassis (0.05” thick) with welded internal walls (0.04” thick) that break it up into 5 equal compartments. The cover is also made of welded, bent 4130 sheet steel (0.04” thick). The accumulator is internally broken up into the lower section, where the cells are housed, and an upper section, which houses the low voltage components that interact with the accumulator (contactors, BMS, AIR’s, etc.). This barrier is made with a 0.5” thick sheet of polycarbonate that insulated and isolates one half from the other. In the upper section, there is a portion that is dedicated to power distribution, which is protected from the rest of the low voltage components by a polycarbonate wall. All aforementioned materials meet UL94 V-0 standards.




*Figure 10: Cross-section of accumulator showing compartmentalization*

To ensure adequate cooling, holes in the sides of the lower chassis are laser-cut to align with the cooling holes on the Energus submodules. Air will be forced in through the lower chassis and up through and out of the upper section of the accumulator by 3 92mmx92mm fans.

## Location in Vehicle

In the vehicle, the accumulator is mounted directly behind the driver and firewall. The driver side impact structure extends all the way to the rear of the monocoque to protect the accumulator. The accumulator is rigidly attached to the monocoque and rear tubular spaceframe by welded on mounts. In all there are 10 mounts, each with 5/16-24 steel bolts going through them. These mounts are capable of withstanding 20 kN of force in all directions, which are detailed in the Structural Equivalency Spreadsheet (SES).



*Figure 11: Accumulator container position*




Figure 12: Accumulator mount point locations

# Analysis

## Finite Element Analysis

Many of the accumulator's structural components were required to withstand a significant amount of force [6]. In order to verify that our vehicle would be able to withstand the required forces, parts were modeled in solidworks and subjected to the required loads. This allowed our team to test and iterate design without the high cost and time involved in destructive physical testing.

The mounts are required to withstand 20 kN in any direction, and due to the weight of our accumulator, we are required to have at least 10 mounts. The rules also state that for steel components, 300 MPa is considered failing at weld locations and 365 MPa is considered to be failing in the body of the part.

In the interest of prototyping numerous designs, initial testing was performed on a per-component basis. This allowed the team to gain a general idea of what would work and what would fail. As each iteration converged on a singular design, we moved to Solidworks simulation for forces

applied in an assembly. This allowed a more realistic representation for the magnitude of stresses present in our parts.

Early designs were based on minimum required size for the mount, as the significance of the mounting system was initially underestimated. These were modeled as simple sheet metal parts. The sheet metal thickness was increased until it was apparent that the benefit of doing so would not be substantial enough to make the part pass. In Figure 13, any visible color is experiencing a stress greater than 300 MPa, while any material in red is experiencing 365 MPa or greater, and is therefore considered to be failing. This showed that a small sheet metal part would very likely be inadequate for the needs of the accumulator.





Figure 13: A 20 kN load is applied in the downward direction to our initial mount idea, with welded edges set to be fixed for the simulation.

We still desired to use a bent sheet metal part. This would be easiest to manufacture, because one of our sponsors would be able to bend the part for us, leaving welding as the only remaining operation to be performed. The next mount we considered was a flattened pyramid with a welded tube insert placed through the center to allow a stronger location for the bolt to be placed. We realized that this part would need to allow air through it in some locations, in order to allow the cells to pull in air for cooling. Because of this, we placed slots in the mount which were parallel with the load paths.

This part, shown in figure 14, showed promise for meeting our needs due to the general shape of its construction. However, the part needed to be made of thicker sheet material. Increasing the sheet thickness meant increasing the bend radius. This increase in bend radius increased how far the outermost edge was away from the accumulator. Due to our space constraints within the monocoque, we were not able to increase the size of the part to the degree necessary to meet our required load cases.





*Figure 14: Vented gusset mount. This mount allowed loads to be transferred into the accumulator at the internal walls or the edges of the accumulator, distributing the force into members which could support the forces required.*

The continual failure in supporting the required forces led to the decision to begin modeling the mount as a solid part, to be manufactured on a 3-axis CNC mill or with a waterjet. This allowed more freedom of design, and so the first workable 20kN mount was created. This mount used more traditional gussets, spreading the load across a large area of the accumulator. Figure 15, shown below, shows how the “butterfly” mount has gussets which spread out the applied load. This piece is also highly manufacturable, as it is only two setups on a waterjet.




Figure 15: Butterfly mount with a 20 kN downward force applied.

The mounts would be used for six of our 10 required mount locations. From here, mounts to the frame tubes and to the rear of the accumulator could be designed. These mounts will be 3 axis CNC machined parts, as they would need to be coped to sit flush with the frame tubes. The frame mounts will be capable of supporting much higher loads without having to extend their gussets over a large area. Figure 16 demonstrates where the mounts will sit relative to the accumulator. These mounts have been weight optimized by having sections removed.




Figure 16: Rear accumulator mounts. Highlighted in blue are the mounts which will attach to the frame tubes.

These mounts were then modeled in an assembly, shown in figure 17, to simulate more realistic loading. All components are constrained by not being able to penetrate through each other. The ends of the tubes are fixed and the edges where welds will be are bonded to the adjacent part. The accumulator half of the mount is bolted to assembly. The 20 kN load is then applied to the accumulator portion of the mount, while rollers/sliders guide the mount in the direction the accumulator would move it.




Figure 17: An example of an assembly modeled in a SolidWorks static study.




Figure 18: A downward 20 kN load is applied to the lower rear mount assembly.

This more realistic method of modeling in an assembly shows that our parts will succeed in their required load cases. This simulation and continuous iteration heavily drove the design process for the mounting system. The images of how our mounts meet each load case will allow us to prove that our vehicle will pass technical inspection at competition.

Along with the FEA on the mounts we ran studies on the accumulator chassis and cover. These tests utilized the points on where the mounts would attach to the lower chassis. To simulate the acceleration that is required by the rules, the mass of the accumulator gathered by compiling a list of every component that would go in and on the accumulator. The final mass of the system is approximately 65 kg. This mass was then taken and multiplied by the acceleration of gravity ( $9.81 \text{ m/s}^2$ ) and multiplied by the correct factor of 40 or 20 depending on which area the test was being conducted on. For the lateral and longitudinal directions a distributed force of 25.6 kN was applied and for the vertical direction a force of 12.8 kN was applied.

## Cooling

### Calculations

In order to have accurate inputs for the thermal model of the battery, multiple physical properties had to be measured. The mass of the Samsung 18650 cell was measured to be 44 grams and the density was calculated to be  $2.574 \times 10^{-6} \text{ kg/mm}^3$ . To calculate the heat capacity of the cells, a simple calorimeter test was conducted. First, a known amount of room temperature water was poured into a well-insulated container. Then, a single Samsung 18650 cell was placed into an ice bath for an hour to ensure it reached a uniform temperature of  $0^\circ \text{ Celsius}$ . The battery was then quickly removed from the ice bath and placed into the room temperature water while recording the water temperature. The temperature data from the warm water can be seen in Figure 19.




Figure 19: Calorimeter test data for a single Samsung 18650 cell initially soaking in an ice bath. The 44 gram battery caused the 156 grams of water to decrease in temperature by 1.11° Celsius.

By taking the difference between the initial room temperature water and the lowest temperature the water reached, the total heat transferred from the water could be calculated. Knowing that the heat transferred from the water must equal the heat that entered the battery, the heat capacity of the cell could be calculated. Based on the test results, the specific heat of one Samsung 18650 cell is 963.3 J/kg-K. The formulas used for this calculation can be found in Figure B-1 in Appendix B.

The first model that was calculated was a simple 0D numerical model of the Samsung 18650 cell which was easy to understand and implement. The model treated the battery cell as a lumped thermal capacitance under adiabatic conditions. Not only did this simplify the problem, it provided a good baseline to validate the internal thermal properties of the battery. The specific heat of the Samsung cell was 963.3 J/kg-K, measured using the calorimeter test mentioned before. The internal resistance from the Samsung 18650 data sheet is 30 mΩ [7]. The heat generation within the battery was assumed to be exclusively due to ohmic heating. The current vs time trace shown in Figure 20 was developed by another team member using an endurance lap simulation and was used as the battery load. By squaring the current at each time step and multiplying by the internal resistance, the heat generated could be determined.




Figure 20: Simulated current vs time for a single endurance lap with a 40kW power limit at the Lincoln FSAE competition

## Thermal Modeling

The physical cell parameters were implemented into a Heun numerical model that was written in MATLAB to solve for cell temperature vs time. Using a time step of 1 ms, the model goes through the simulated endurance current trace and calculates the change in temperature from the previous time step. The resulting cell temperature vs time can be seen in Figure 21. Based on the initial thermal model setup, each cell in the accumulator would increase by 6.1° Celsius over the course of one endurance lap if no heat was dissipated. The car is expected to complete 14 laps over the course of the entire endurance event, which would result in the pack temperature raising by 85.4° C, which far surpasses the cell's maximum operating temperature of 60° C.




Figure 21: Cell temperature vs time for a single lithium ion 18650 cell through the single endurance lap current simulation. The model uses a numerical method implemented in MATLAB and assumes the cell to be adiabatic.

Because there is a lot of mass in the accumulator in addition to the battery cells themselves, the heat generated through ohmic heating can dissipate into that mass which would decrease the cell temperatures. In order to investigate this effect further, a more complex 3D thermal model had to be constructed. Using Thermal Desktop, a single cell model was first created using the same parameters from the 0D single cell numerical model. The single cell model was then used to create the full Energus module model. Using a CAD model of the Energus pack, the amount of copper and plastic in the pack was estimated. The thermal contact resistance between the battery cells and the copper was assumed to be negligible, while the thermal contact resistance between the copper and plastic was estimated to be 600 K/W-m<sup>2</sup> based on typical thermal contact resistance in metal-plastic interfaces [8]. Figure 22 shows the final Energus module temperature distribution after one endurance lap under adiabatic conditions. The cell temperature increased by 7° C over one lap, which would result in the battery cells increasing in temperature by 98° C over the course of the endurance event.




Figure 22: Final conditions for the full Energus module using the 18560 cells from the single cell model. The entire Energus module was modeled to be adiabatic which resulted in a temperature rise of 7 degrees C.

# Appendix A:

## Relevant FSAE Rules

**Table A-1 Relevant FSAE Structural Accumulator [Rules and Regulations](#)**

Description	Rule Number
If the accumulator container(s) is not easily accessible during Electrical Tech Inspection, detailed pictures of the internals taken during assembly have to be provided. However, at the end of the event the tech inspectors reserve the right to check any accumulators to ensure that the rules are adhered to	EV3.2.3
Each accumulator container must be removable from the car while still remaining rules compliant.	EV3.2.4
If the container is made from an electrically conductive material, then the poles of the accumulator segment(s) and/or cells must be isolated from the inner wall of the accumulator container with an insulating material that is rated for the maximum tractive system voltage. All conductive surfaces on the outside of the container must have a low-resistance connection to the GLV system ground, see EV4.3. Special care must be taken to ensure that conductive penetrations, such as mounting hardware, are adequately protected against puncturing the insulating barrier	EV3.3.1
Each segment must be electrically insulated by the use of suitable material between the segments in the container and on top of the segment to prevent arc flashes caused by inter segment contact or by parts/tools accidentally falling into the container during maintenance for example. Air is not considered to be a suitable insulation material in this case.	EV3.3.4
The Accumulator Isolation Relays (AIRs) and the main fuse must be separated with an electrically insulated and fireproof material to UL94-V0 from the rest of the accumulator. Air is not considered to be a suitable insulation material in this case	EV3.3.5
If the tractive system connectors to the accumulator containers can be removed without the use of tools, then a pilot contact/interlock line must be implemented which activates the shutdown circuit and opens the AIRs whenever the connector is removed.	EV3.3.6
The container material must be fire resistant according to UL94-V0, FAR25 or equivalent.	EV3.4.3



All accumulator containers must be designed to withstand forces from deceleration. Teams have the option to use the design guidelines in rule EV3.4.6 or analyze the accumulator through the “Alternative Frame Rules” process. Design of the Accumulator container must be documented in the SES or SRCF. Documentation includes materials used, drawings/images, fastener locations, cell/segment weight and cell/segment position.	EV3.4.5
Accumulator containers must be constructed of sheet/plate steel or aluminum in accordance with EV3.4.6, which dictates wall thicknesses of 1.25 mm stainless, 2.3 mm stainless, and 0.9 mm stainless. Please see rules at fsaeonline.com for full details.	EV3.4.6
The accumulator design guidelines are intended to generate a structure that does not fail the following accelerations: a. 40g in the longitudinal direction (forward/aft) b. 40g in the lateral (left/right) c. 20g vertical (up/down) direction	EV3.4.6

**Table A-2 Relevant FSAE Charging [Rules and Regulations](#)**

<b>Description</b>	<b>Rule Number</b>
The charging shutdown circuit when charging consists of at least the charger shutdown button, the insulation monitoring device (IMD) and the accumulator management system (AMS).	EV5.8.1
Accumulator must be removed for charging and transported on accumulator container hand cart. Must have a label with team name and Electrical System Office phone number.	EV8.2.2, EV8.2.3
All chargers must either be accredited to a recognized standard e.g. CE or where built by the team they must be built to high standards and conform to all electrical requirements for the vehicle tractive system.	EV8.3.2
Charger must incorporate an interlock to ensure correct connection and an E-stop button (minimum 25mm diameter.)	EV8.3.3
The charger connector must incorporate an interlock such that neither side of the connector become live unless it is correctly connected to the accumulator.	EV8.3.3
HV charging leads must be orange	EV8.3.4
When charging, the AMS must be live and must be able to turn off the charger in the event that a fault is detected.	EV8.3.5

The hand cart must have a brake such that it can only be released using a dead man's switch, i.e. the brake is always on except when someone releases it by pushing a handle for example.	EV8.4.2
---	---------

**Table A-3 Relevant FSAE Accumulator Electrical [Rules and Regulations](#)**

<b>Description</b>	<b>Rule Number</b>
The maximum permitted voltage that may occur between any two electrical connections is different between the competitions allowing electric vehicles. 300 VDC.	EV1.1.2
The entire tractive and GLV system must be completely galvanically separated. The border between tractive and GLV system is the galvanic isolation between both systems. Therefore, some components, such as the motor controller, may be part of both systems.	EV1.2.7
All components in the tractive system must be rated for the maximum tractive system voltage	EV1.2.8
The GLV system must be powered up using a specified procedure before it is possible to activate the tractive system, see EV4.10. Furthermore, a failure causing the GLV system to shut down must immediately deactivate the tractive system as well	EV1.2.10
The maximum power drawn from the battery must not exceed 80kW. This will be checked by evaluating the Energy Meter data.	EV2.2.1
A violation is defined as using more than 80kW or exceeding the specified voltage for more than 100ms continuously or using more than 80kW or exceeding the specified voltage, after a moving average over 500ms is applied.	EV2.2.4
Regenerating energy is allowed and unrestricted but only when the vehicle speed is > 5kph. It is not allowed at vehicle speeds <= 5kph.	EV2.2.7
All types of accumulators except molten salt and thermal batteries are allowed.	EV3.1.1
If spare accumulators are to be used then they all have to be of the same size, weight and type as those that are replaced. Spare accumulator packs have to be presented at Electrical Tech Inspection.	EV3.2.2
Every accumulator container must contain at least one fuse and at least two accumulator isolation relays, see EV3.5 and EV6.1.	EV3.3.2

Maintenance plugs, additional contactors or similar measures have to be taken to allow electrical separation of the internal cell segments such that the separated cell segments contain a maximum static voltage of less than 120VDC and a maximum energy of 6MJ. The separation must affect both poles of the segment.	EV3.3.3
This separation method must be used whenever the accumulator containers are opened for maintenance and whenever accumulator segments are removed from the container.	EV3.3.3
Contacting / interconnecting the single cells by soldering in the high current path is prohibited. Soldering wires to cells for the voltage monitoring input of the AMS is allowed, since these wires are not part of the high current path	EV3.3.7
Every wire used in an accumulator container, no matter whether it is part of the GLV or tractive system, must be rated to the maximum tractive system voltage.	EV3.3.8
Each accumulator container must have a prominent indicator, such as an LED that will illuminate whenever a voltage greater than 60V DC is present at the vehicle side of the AIRs.	EV3.3.9
The voltage being present at the connectors must directly control the indicator using hard wired electronics (no software control is permitted). Activating the indicator with the control signal which closes the AIRs is not sufficient.	EV3.3.10
The accumulator voltage indicator must always work, e.g. even if the container is disconnected from the GLVS or removed from the car and carried around.	EV3.3.11

# Appendix B:

## Decision Matrices and Informative Calculations

**Table B-1: Battery cells that were considered for using in the accumulator.**

Manufacturer	Name	Nominal Voltage (V)	Capacity (A·h)	Peak Discharge (A)	Weight (g)	Energy (W·h)	Specific Energy (W·h / g)	Specific Power (W/g)
A123	AMP20M1HD-A P	3.3	20	363	436	66	0.133064516	2.41520368
Battery Space	604490 Battery	3.7	2.1	40	46	7.77	0.168313043	3.217391304
Battery Space	803496 Battery	3.7	2.2	55	53	8.14	0.153584906	3.833622642
EMB	LP3245150HD	3.7	5.4	111	111	19.38	0.18	3.7
EMB	LP1042126HD	3.7	5	100	100	18.5	0.185	3.7
GB battery	GB5750HP-1S	3.7	5.75	345	121	21.275	0.175826446	10.54358678
GB battery	GB7700S-1S	3.7	7.7	115.5	142	28.49	0.200633803	3.009507042
GB battery	GB10000S-1S	3.7	10	150	185	37	0.2	3
GB battery	GB6250HP-1S	3.7	6.25	375	128	23.125	0.180664063	10.83384375
GB battery	GB2200XL-1S	3.7	2.2	88	47	8.14	0.173191489	6.327653574
GB battery	GB2700XL-1S	3.7	2.7	108	57.5	9.99	0.17373913	6.949565217
GB battery	GB3250HP-1S	3.7	3.3	135	70	12.21	0.174428571	10.30714286
GB battery	GB3500XL-1S	3.7	3.5	140	73	12.95	0.17739726	7.095830411
GB battery	GB4000XL-1S	3.7	4	160	82.5	14.8	0.173333333	7.175757576
GB battery	GB4500XL-1S	3.7	4.5	180	95	16.65	0.175263158	7.010526316
high power tech	885083AHP-4100	3.7	4.1	615	77.3	15.17	0.196248383	2.943725744
high power tech	9250140CP-7000	3.7	7	105	131.8	25.9	0.196509863	2.947647951
LG	18650 HG2	3.6	3	35	47	10.8	0.223787234	2.680851064
LiPol	LPHD3443135	3.7	5.8	522	125	21.46	0.17168	15.4512
LiPol	LPHD8245150	3.7	5	450	116.6	18.5	0.158662033	14.27958834
LiPol	LPHD1542126	3.7	6.5	650	151	24.05	0.159271523	15.92715232
Melasta	SLPB3864155	3.7	10	200	218	37	0.163724771	3.394495413
Melasta	SLPBA875175	3.7	15	225	302.5	55.5	0.183471074	2.752066116
Melasta	SLPB7785186	3.7	12.5	187.5	262	46.25	0.176526718	2.647900763
Melasta	SLPB8070170	3.7	10	150	206	37	0.17361165	2.634174757
Melasta	LPA545135	3.7	6.1	183	135	22.57	0.167185185	5.015555556
Melasta	SLPB3145180	3.7	7.05	176.25	159	26.085	0.164056604	4.101415034
Melasta	SLPB3342126	3.7	5	125	113	18.5	0.163716814	4.032320354
Melasta	LP8534106	3.7	2.6	52	64	3.62	0.1503125	3.00625
Melasta	LPA745150	3.7	6.9	276	160	25.53	0.1535625	6.3825
Melasta	LP8045135	3.7	4	120	96	14.8	0.154166667	4.625
Melasta	SLPB142126	3.7	6.3	34.5	129.5	23.31	0.18	2.7
Melasta	SLPB7685186	3.7	12.5	187.5	257	46.25	0.173961089	2.639416342
Melasta	SLPB8763124	3.7	7.5	112.5	151	27.75	0.183774834	2.756622517
Melasta	SLPBA790215	3.7	24	336	454	88.8	0.195534714	2.738325931
NXE (LiCo)	NXEC6400/100-1S	3.7	6.4	1280	147.9	23.68	0.160108181	32.02163624
Orion	Carbon Pro	3.7	7.2	720	145	26.64	0.183724138	18.37241379
PDBattery	High Charge Custo	3.7	10	450	240	37	0.154166667	6.3375
Samsung	Lithium 18650	3.6	15	23	45	5.4	0.12	1.84
Tenergy	8053156 Battery	3.7	8	160	180	29.6	0.164444444	3.288888889
Tenergy	5745135 Battery	3.7	3	75	75	11.1	0.148	3.7
Tenergy	703564 Battery	3.7	1.1	27.5	28	4.07	0.145357143	3.633328571
Turnigy	Nano-tech round c	3.7	1.2	18	23	4.44	0.193043478	2.895652174
Turnigy	Single Cell 20C	3.7	5	100	114	18.5	0.162280702	3.245614035
Turnigy	Single Cell 40C	3.7	5	200	130	18.5	0.142307632	5.632307632
Turnigy	Nano-tech A-SPEC	3.7	6	780	143	22.2	0.155244755	20.18181818
Turnigy	Nano-tech hardcas	3.7	5.6	728	152	20.72	0.136315789	17.72105263
Turnigy	Nano-tech hardcas	3.7	5	500	148	18.5	0.125	12.5
Turnigy	Nano-tech ultimate	3.7	6.4	576	170	23.68	0.139234118	12.53647059
ZIPPY	Flightmax	3.7	6.2	248	173	22.94	0.128156425	5.126256383

Table B-2: Battery management system decision matrix.

Company	Model	URL	Origin	Availability	Base price	Tech	Dist	Topology	Max # of cells	Battery strings in parallel	Temp Monitoring	Max current	Disruptive sensors	Balance	Isolation	Over current	Cooling	Isolated	Warning	CAN	USB	Display	GUI	Master enclosure	Master case mat
123 Electric	123 Electric	www.123el.com	Netherlands	Y	\$526.00	Digital Y			255	128	1	400	1	Y	1000	Y		Y						Sealed	Plastic
Agri Motors	Agri	agrimotors.com	India / Britain	Y	\$100.00	Analog Y			200	1	1	0	Y	Y	250									Open	
All New Energy	VMS / GBTS		Taiwan	Y	\$410.00	Digital		Modular	24	1	1	0	Y	Y										Open	
American Electric Vehi	AEV	www.aevai.com	US Colorado	Y	\$200.00	Digital Y		Master/Slave	150	1	1	1	Y	Y	10									Sealed	Metal
BatterMan	BM	www.batterman.com	Germany	Y		Analog Y			44	1	1	0	Y	Y										Open	
Baltronix	Baltronix	www.baltronix.com	US California	Y		Analog Y		Master/Slave	999	1	1	1	Y	Y										Sealed	Plastic
Black Sheep Technology	BMS Auto V4	www.black-sheep-tech.com	US Colorado		\$600.00	Digital			999	1	1	0	Y	Y										Open	
Black Sheep Technology	Black Sheep	www.black-sheep-tech.com	US Colorado			Analog Y			999	1	1	0	Y	Y										Open	
Black Electric Vehicles	Blade	www.bladev.com	Australia, VIC	Y		Analog Y		Centralized	12	1	1	0	Y	Y										Open	
Chargery	B series	www.chargery.com	China, Guangdong	Y		Digital		Centralized	99	1	1	0	Y	Y										Open	
Clayton power	C and CF series	www.clayton.co.uk	UK	Y		Digital		Centralized	23	1	1	1	Y	Y	1500	Y								Enclosed	Metal
Clepton power	Clepton	www.clepton.com	UK	Y		Digital		Master/Slave	496	1	1	0	Y	Y	750	Y								Enclosed	Plastic
Clean power	MiniBMS	www.cleanpower.com	US Florida	Y	\$30.00	Analog		Master/Slave	10000	1	1	0	Y	Y	750									Open	
Convert the future	MiniBMS - Centr	www.convertthefuture.com	US Florida	Y	\$78.00	Analog		Centralized	1000	1	1	0	Y	Y										Open	
Convert the future	Flex BMS4	www.convertthefuture.com	US CA	Y	\$98.00	Digital		Centralized	48	1	1	1	Y	Y										Enclosed	Plastic
Convert the future	Flex BMS4	www.convertthefuture.com	US CA	Y	\$1,437.00	Digital		Centralized	84	1	1	1	Y	Y										Enclosed	Plastic
e-chip	BMS-v5-v6-v7-v8	www.e-chip.com	China, Hong Kong	Y		Digital		Centralized	26	1	1	0	Y	Y	100									Enclosed	Metal
Electric Blue	Blue View	www.electricblue.com	US Arizona	Y	\$375.00	Digital Y			255	1	1	1	Y	Y	1500	Y								Sealed	Metal
Electronicus	EVUS BMS	www.electronicus.com	Lithuania	Y	\$375.00	Digital Y			255	1	1	1	Y	Y										Enclosed	Plastic
Elite Power Systems	Elite BMS	www.elitepowersystems.com	China	Y	\$170.00	Digital Y			200	8	1	1	Y	Y	3000	Y								Enclosed	Metal
Elithion	Elithion Lite	www.elithion.com	US Colorado	Y	\$368.00	Digital Y			200	8	1	1	Y	Y	3000	Y								Enclosed	Metal
Elithion	Elithion Pro	www.elithion.com	US Colorado	Y	\$275.00	Digital Y			255	16	16	750	3	Y	3000	Y								Enclosed	Metal
Electr	Elithion Pro	www.electr.com	US Colorado	Y	\$25.00	Digital Y		Master/Slave	350	1	1	0	Y	Y	3000	Y								Enclosed	Plastic
EV power	EV power	www.ev-power.com	US New Hampshire	Y	\$275.00	Analog Y			1000	1	1	0	Y	Y	2000									Enclosed	Plastic
Evaura	Evaura	www.evaura.com	US California	Y		Digital		Master/Slave	224	14	1	1	Y	Y										Sealed	Metal
EV Lithium	EV MiniBMS	www.ev-lithium.com	Norway	Y	\$373.00	Digital			400	1	1	0	Y	Y	1000									Open	
EVST	BMS-4	www.evst.com	China, Guangdong	Y	\$550.00	Digital		Master/Slave	180	14	1	600	1	Y	100	Y								Enclosed	Metal
Flux Power	Flux	www.fluxpower.com	Ecuador, CA, USA	Y	\$450.00	Digital		Modular	256	1	1	0	Y	Y	1000									Sealed	Metal
GR-Engineering	GR-BMS	www.gr-engineering.com	Germany	Y	\$500.00	Digital Y			24	1	1	500	0	Y										Open	
GRN Power	RT-BMS	www.grn-power.com	Germany, Channel I	Y	\$540.00	Digital Y			15	1	1	1	Y	Y	1000	Y								Enclosed	Plastic
High Tech Systems	High Tech	www.hightechsystems.com	US Colorado	Y		Analog Y			192	3	1	1	Y	Y										Enclosed	Plastic
I + ME ACTIA	IME	www.ime-actia.com	Germany	Y		Digital			999	1	1	0	Y	Y										Open	
International Rectifier	Entra	www.internationalrectifier.com	US California	Y	\$389.00	Digital Y		Master/Slave	200	20	1	1	Y	Y	200	Y								Open	
Jon Elix	BMS ver2	www.jonelix.com	US California	Y	\$539.00	Digital Y			254	1	1	800	1	Y										Open	
LiPoTech	BMS 2.0	www.lipo-tech.com	Lithuania	Y	\$54.00	Analog Y			300	100	100		Y	Y	1800	Y								Enclosed	Metal
Lithium Balance	IBMS	www.lithiumbalance.com	Denmark	Y	\$365.00	Digital		Centralized	23	1	1	600	0	Y	Y	1000	Y							Enclosed	Plastic
Lithium Start	IBMS	www.lithiumstart.com	US CA, San Francisco	Y	\$100.00	Digital		Master/Slave	256	1	1	1	Y	Y										Enclosed	Metal
Marantz Micro	MicroBMS	www.marantz.com	US Washington	Y	\$150.00	Digital		Master/Slave	10000	1	1	0	Y	Y	2500	Y								Open	
Methods	UTC BMS	www.methods.com	US California	Y		Digital		Centralized	36	1	1	1	Y	Y										Enclosed	Metal
Millen	UTC BMS	www.millen.com	US California	Y		Digital		Master/Slave	192	16	1	1	Y	Y	700	Y								Enclosed	Plastic
N-Tech	UTC BMS	www.n-tech.com	South Korea	Y		Digital		Modular	112	1	1	2	Y	Y										Open	
Pacific EV	UTC BMS	www.pacific-ev.com	US Washington	Y	\$250.00	Digital Y			1	1	1	0	Y	Y	1500	Y								Open	
Pacific EV	UTC BMS	www.pacific-ev.com	US Washington	Y	\$250.00	Analog Y			10000	1	1	0	Y	Y	1500	Y								Open	
Peter Perkins	REAP	www.peterperkins.com	UK	Y	\$717.00	Digital		Master/Slave	96	1	1	1	Y	Y	300	Y								Open	
REAP Systems	REAP	www.reap-systems.com	UK, England	Y	\$717.00	Digital		Modular	168	1	1	1	Y	Y	100	Y								Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Enclosed	Metal
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390.00	Digital		Master/Slave	210	15	1	380	1	Y	Y	1300	Y							Open	
Roc	BMS 7	www.roc.com	Slovenia	Y	\$390																				

**Figure B-1: Equations used for calculating the specific heat of lithium ion batteries using a data from a calorimeter test.**

$$\begin{aligned} \text{mass}_{\text{water}} &= 156 \text{ [g]} \cdot \left| 0.001 \cdot \frac{\text{kg}}{\text{g}} \right| \\ \text{mass}_{\text{battery}} &= 44 \text{ [g]} \cdot \left| 0.001 \cdot \frac{\text{kg}}{\text{g}} \right| \\ T_{\text{water,initial}} &= \text{ConvertTemp} ( \text{C}, \text{K} \ 18.2 \text{ [C]} ) \\ T_{\text{battery,initial}} &= \text{ConvertTemp} ( \text{C}, \text{K} \ 0 \text{ [C]} ) \\ T_{\text{final}} &= \text{ConvertTemp} ( \text{C}, \text{K} \ 17.09 \text{ [C]} ) \\ P_{\text{amb}} &= 1 \text{ [atm]} \cdot \left| 101325 \cdot \frac{\text{Pa}}{\text{atm}} \right| \\ c_{p_{\text{water}}} &= \text{Cp} ( \text{water}, T = T_{\text{water,initial}}, P = P_{\text{amb}} ) \\ \Delta T_{\text{water}} &= T_{\text{water,initial}} - T_{\text{final}} \\ \text{EnergyTransferred} &= c_{p_{\text{water}}} \cdot \Delta T_{\text{water}} \cdot \text{mass}_{\text{water}} \\ \Delta T_{\text{battery}} &= T_{\text{final}} - T_{\text{battery,initial}} \\ \text{EnergyTransferred} &= c_{p_{\text{battery}}} \cdot \Delta T_{\text{battery}} \cdot \text{mass}_{\text{battery}} \end{aligned}$$

**Figure B-2: Equations used for calculating the brake force required to stop the charging in 0.5 [m] with spring deflection of 0.01 [m].**

$m_{\text{accumulator}} = 64.3 \text{ [kg]}$	"mass of accumulator"
$m_{\text{charger}} = 14 \text{ [kg]}$	"mass of charger"
$m_{\text{total}} = m_{\text{charger}} + m_{\text{accumulator}}$	"total mass"
$g = 9.81 \text{ [m/s}^2\text{]}$	"constant of gravity"
$v_i = 3.1 \text{ [m/s]}$	"average walking velocity"
$v_f = 0 \text{ [m/s]}$	"final velocity"
$\text{DELTA}_x = 0.5 \text{ [m]}$	"stopping distance"
$v_f^2 = v_i^2 + 2 \cdot \text{accel} \cdot \text{DELTA}_x$	"equation of motion"
$F_x = m_{\text{total}} \cdot \text{accel}$	"force of cart"
$F_{\text{wheel}} = F_x / 2$	"force of one wheel"
$\mu = 1.15$	"coefficient of friction, rubber on rubber"
$r = 6 \cdot \text{convert}(\text{in}, \text{m}) / 2$	"radius of caster"
$M_o = F_{\text{wheel}} \cdot r$	"moment on caster"
$0 = \mu \cdot F_{\text{brake}} \cdot r - M_o$	"brake force"
$\text{DELTA}_L = .01 \text{ [m]}$	"spring defelection"
$F_{\text{spring}} = F_{\text{brake}}$	"spring force"
$F_{\text{spring}} = k \cdot \text{DELTA}_L$	"spring rate"

# Appendix C:

## Component Datasheets

### Samsung INR18650-25R Technical Data

The Samsung INR18650-25R cells are covered in [Cells](#).

Type		Spec.	Typical INR18650-25R
Chemistry		NCA	NCA
Dimension (mm)	Diameter	18.33 ± 0.07	18.33 ± 0.07
	Height	64.85 ± 0.15	64.85 ± 0.15
Weight (g)		Max. 45.0	43.8
Initial IR (mΩ AC 1kHz)		≤ 18	13.20 ± 2
Initial IR (mΩ DC (10A-1A))		≤ 30	22.15 ± 2
Nominal Voltage (V)		3.6	3.64
Charge Method (100mA cut-off)		CC-CV (4.2±0.05V)	CC-CV (4.2±0.05V)
Charge Time	Standard (min), 0.5C	180min	134min
	Rapid (min), 4A	60min	55min
Charge Current	Standard current (A)	1.25	1.25
	Max. current (A)	4.0	4.0
Discharge	End voltage (V)	2.5	2.5
	Max. cont. current (A)	20	20
	Max. momentary pulse (A, <1sec)	100	100
Rated discharge Capacity	Standard (mAh) (0.2C)	2,500	2,560
	rated (mAh) (10A)	2,450	2,539

[Full datasheet may be found here.](#)

### Energus Power Solutions Li8P25RT Technical Data

The Energus Power Solutions Li8P25RT is covered in [Cells](#).

Parameter	Comment	Min.	Typ.	Max.	Unit
Battery voltage	Allowed range	2.50	3.60	4.20	V
Battery capacity	20A discharge to 2.5 V	19.5	20.4	-	Ah
	20A discharge to 2.5 V	70.2	73.4	-	Wh
	200A discharge to 2.5 V	18.5	19.5	-	Ah
Fast charge current	Forced air cooling	-	-	40	A
	No cooling, in a pack	-	-	30	A
	10 sec. pulse, 50% SOC	-	-	240	A
Discharge current	Forced air cooling	-	-	240	A
	No cooling, in a pack	-	-	120	A
	10 sec. pulse, fuse limited	-	-	360	A
Initial internal impedance	1kHz after rated charge	-	2.7	3.0	mΩ
Internal fuse rating	Holding current	-	-	360	A
Working temperature	Discharge	-20	25	60	°C
	Charge	0	25	45	°C
Dimensions	±0.5 mm	-	39×69.5×87	-	mm
Weight	Without fasteners	-	0.427	0.429	kg

[Full datasheet may be found here.](#)

## Orion Battery Management System Technical Data

The Orion BMS is covered in [Battery Management System](#).

Specification Item	Min	Typ	Max	Units
Supply Voltage	8		16	Vdc
Supply Current—Active		250		mA
Supply Current—Sleep (Rev. D & E)				uA
Operating Temperature	-40		80	C
Sampling Rate for Current Sensor		8		mS
Sampling Rate for Cell Voltages		30	50	mS
Isolation Between Cell Taps and Chassis / 12v Supply	2.5			kVrms
Isolation Between Cells 36-37, 72-73, 108-109, & 144-145	2.5			kVrms
Digital Output Voltage (Open Drain)			30	V
Digital Output Sink Current (Rev. D & newer)			175	mA
Cell Voltage Measurement Range	0.5		5	V
Cell Voltage Measurement Error (over 1-5v range)			0.25	%
Cell Balancing Current			200	mA
Cell Current (Operating)		5		mA
Cell Current (Sleep)				
Thermistor Accuracy				C
Cell Voltage Reporting Resolution		1.5		mV




[Full datasheet may be found here.](#)

## Coroplast High Voltage Wiring Technical Data

The Coroplast 50mm<sup>2</sup> and 16mm<sup>2</sup> cable is covered in [Wiring](#)

**Derating: Threshold value curves of screened copper high-voltage cables**



[Full datasheet may be found here.](#)

## TE Raychem 22 AWG Accumulator Low Voltage Wiring Technical Data

The Raychem 22 AWG low voltage wiring is covered in [Wiring](#).

TABLE I. CONSTRUCTION DETAILS							
PART NUMBER 1/	WIRE SIZE (AWG)	CONDUCTOR STRANDING (number x AWG)	DIAMETER OF STRANDED CONDUCTOR (in.)		FINISHED WIRE		
			MINIMUM	MAXIMUM	MAXIMUM RESISTANCE AT 20°C (ohms/1000 ft.)	DIAMETER (in.)	MAXIMUM WEIGHT (lbs/1000 ft.)
55A0111-30-*	30	7 x 38	.011	.013	108.4	.024 ± .002	.66
55A0111-28-*	28	7 x 36	.014	.016	68.6	.027 ± .002	.91
55A0111-26-*	26	19 x 38	.018	.020	41.3	.032 ± .002	1.4
55A0111-24-*	24	19 x 36	.023	.025	26.2	.037 ± .002	2.0
55A0111-22-*	22	19 x 34	.029	.031	16.2	.043 ± .002	2.8
55A0111-20-*	20	19 x 32	.037	.039	9.88	.050 ± .002	4.3
55A0111-18-*	18	19 x 30	.046	.049	6.23	.060 ± .002	6.5
55A0111-16-*	16	19 x 29	.052	.055	4.81	.068 ± .002	8.3
55A0111-14-*	14	19 x 27	.065	.069	3.06	.085 ± .003	13.0
55A0111-12-*	12	37 x 28	.084	.089	2.02	.103 ± .003	19.7
55A0111-10-*	10	37 x 26	.106	.113	1.26	.128 ± .006	31.8
55A0111- 8-*	8	133 x 29	.158	.173	.701	.188 ± .008	58.8

[Full datasheet may be found here.](#)

## TE EV200AAANA Accumulator Insulation Relay Technical Data

The accumulator isolation relays are covered in [Accumulator Insulation Relays](#).

### Performance Data

Parameter	Units	Value for EV200 Series
Contact Arrangement, power contacts		1 Form X (SPST-NO-DM)
Rated Operating Voltage	VDC	12 - 900
Continuous (Carry) Current, Typical	A	500 @ 85°C, 400 mcm conductors <i>Consult Factory for required conductors for higher (500+ A) currents</i>
Make/Break Current at Various Voltages <sup>1</sup>	A	See next page
Break Current at 320VDC <sup>2</sup>	A	2,000, 1 cycle <sup>3</sup>
Contact Resistance, Typ. (@200A)	mohms	0.2
Load Life	Cycles	See next page
Mechanical Life	Cycles	1 million
Contact Arrangement, auxiliary contacts		1 Form A (SPST-NO)
Aux. Contact Current, Max.	A	2A @ 30VDC / 3A @ 125VAC
Aux. Contact Current, Min.	mA	100mA @ 8V
Aux. Contact Resistance, Max.	ohms	0.417 @ 30VDC / .150 @ 125VAC
Operate Time @ 25°C		
Close (includes bounce), Typ.	ms	15
Bounce (after close only), Max.	ms	7
Release (includes arcing), Max @ 2000A	ms	12
Dielectric Withstanding Voltage	Vrms	2,200 @ sea level (leakage <1mA)
Insulation Resistance @ 500VDC	megohms	100 <sup>2</sup>
Shock, 11ms 1/2 sine, peak, operating	G	20
Vibration, sine, 80-2000Hz., peak	G	20
Operating Ambient Temperature	°C	-40 to +85
Weight, Nominal	lb.(kg)	.95 (.43)

<sup>1</sup> Main power contacts

<sup>2</sup> 50 at end of life

<sup>3</sup> Does not meet dielectric & IR after test, 1700 amp for unit with Aux. Contacts

Coil Operating Voltage (valid over temperature range)			
Voltage (will operate)	9-36VDC	32-95VDC	48-95VDC
Voltage (Max.)	36VDC	95VDC	95VDC
Pickup (close) Voltage Max.	9VDC	32VDC	48VDC
Hold Voltage (Min.)	7.5VDC	22VDC	34VDC
Dropout (open) Voltage (Min.)	6VDC	18VDC	27VDC
Inrush Current (Max.)	3.8A	1.3A	0.7A
Holding Current (Avg.)	0.13A@12V, 0.07A@24V	0.03A@48V	0.02A@72V
Inrush Time (Max.)	130ms	130ms	130ms

### Part Numbering System

Typical Part Number	EV200	A	A	A	N	A
<b>Series:</b> EV200 = 500+ Amp, 12-900VDC Contactor						
<b>Contact Form:</b> A = Normally Open      H = Normally Open with Aux. Contacts						
<b>Coil Voltage:</b> A = 9-36VDC (1 = requires external coil economizer) D = 32-95VDC (2 = requires external coil economizer) J = 48-95VDC (3 = requires external coil economizer) R = 28VDC with Mechanical Economizer						
<b>Coil Wire Length:</b> A = 15.3 in (390 mm)      B = 6.0 in (152 mm)						
<b>Coil Terminal Connector:</b> N = None B = Yazaki 7282-5558-10 male, 7114-4102-02, 7158-3030-50 +red is pin 2 (B length only) C = Molex Mini-fit Jr, 2 Ckt, Female 18-24, P/N 39-01-2020 & 39-00-0060 +red is pin 1 (A length only)						
<b>Mounting &amp; Power Terminals:</b> A = Bottom Mount & Male 10mm x M8 Terminals						

[Full datasheet may be found here.](#)

## Eaton Bussman 170M3418 Main Tractive System Fuse Technical Data

The Bussman 170M3418 tractive system fuse is covered in [Fusing](#).

Square Body – Flush End Contact

**690V/700V (IEC/U.L.) 40-2000A**



Electrical Characteristics					Ordering Information						Curves
Size	Rated Current RMS-Amps	I <sup>2</sup> (A <sup>2</sup> S)		Losses at Rated Current	-B/- Visual Indicator	-BKN/- Type K Indicator for Micro	-G/- Visual Indicator	-GKN/- Type K Indicator for Micro	Carton Qty.	Carton Weight (kg)	BIF #
		Pre-arc	Clearing at 660V								
1*	40	40	270	9	170M3408	170M3458	170M3508	170M3558	10 (-B/-)	2.40	17056314
	50	77	515	11	170M3409	170M3459	170M3509	170M3559			
	63	115	770	14	170M3410	170M3460	170M3510	170M3560			
	80	185	1250	18	170M3411	170M3461	170M3511	170M3561			
	100	360	2450	21	170M3412	170M3462	170M3512	170M3562	10 (-G/-)	2.40	
	125	550	3700	26	170M3413	170M3463	170M3513	170M3563			
	160	1100	7500	30	170M3414	170M3464	170M3514	170M3564			
	200	2200	15000	35	170M3415	170M3465	170M3515	170M3565			
	250	4200	28500	40	170M3416	170M3466	170M3516	170M3566	6 (-BKN/-)	1.62	
	315	7000	46500	50	170M3417	170M3467	170M3517	170M3567			
	350	10000	68500	55	170M3418	170M3468	170M3518	170M3568			
	400	15000	105000	60	170M3419	170M3469	170M3519	170M3569			
	450	21000	140000	65	170M3420	170M3470	170M3520	170M3570	6 (-GKN/-)	1.62	
	500	27000	180000	70	170M3421	170M3471	170M3521	170M3571			
	550	34000	230000	75	170M3422	170M3472	170M3522	170M3572			
	630	48500	325000	80	170M3423	170M3473	170M3523	170M3573			

[Full datasheet may be found here.](#)

## Eaton Bussmann 160LET Motor Controller Fuse Technical Data

The Bussman 160LET motor controller fuses are covered in [Fusing](#).

### Electrical characteristics

Catalog numbers	Type	Rated current RMS-amps	I <sub>t</sub> (A <sup>2</sup> sec)			Watts loss
			Pre-arc	Clearing at 120V	Clearing at 240V	
6LCT	LCT	6	2	6	9	1.0
10LCT		10	3.8	12	22	2.5
12LCT		12	7	22	32	2.5
16LCT		16	20	50	100	2.5
20LCT		20	25	80	160	4.0
25LET	LET	25	18	120	250	4.0
32LET		32	32	200	450	5.0
35LET		35	50	320	600	5.0
50LET		50	100	500	1400	7.0
63LET		63	180	1100	2200	9.0
80LET		80	300	1900	3800	10.0
100LET		100	600	3800	7500	10.0
125LET		125	600	3800	7500	16.0
<b>160LET</b>		<b>160</b>	<b>1100</b>	<b>7000</b>	<b>16000</b>	<b>20.0</b>

[Full datasheet may be found here.](#)

## ElCon PFC 5000 5kW 96V 44A Battery Charger Technical Data

The Elcon PFC 5000 charger is covered in [Charging](#).

## Specifications

Spec Model	Output Voltage -Nominal	Output Voltage -Maximum	Output Current -Maximum 230vac	Output Current -Maximum 115vac
TCCH-48-80	48V	66V	80A	38A
TCCH-60-70	60V	82V	70A	30A
TCCH-72-56	72V	96V	56A	26A
TCCH-84-50	84V	112V	50A	22A
TCCH-96-44	96V	130V	44A	20A
TCCH-120-36	120V	168V	36A	15A
TCCH-144-30	144V	192V	30A	13A
TCCH-168-24	168V	233V	24A	12A
TCCH-216-20	216V	289V	20A	8A
TCCH-288-15	288V	389V	15A	7.5A
TCCH-312-14	312V	417V	14A	7A

Note: red = in stock, black = special order.

## Technical Features

AC Input Voltage Range	AC85V~AC265V
AC Input Frequency	45~65 Hz
AC Power Factor	≥0.98
Full Load Efficiency	≥93
Mechanical Shock & Vibration Resistance Level	Conformance to SAEJ1378 Standard
EnvironmentalEnclosure	IP46
Operating Temperature	-40°C +55°C
Storage Temperature	-40°C +100°C
Mechanical Dimensions	365mm×352mm×139mm
Net Weight	13.80kg

[Full datasheet may be found here.](#)

# References

- [1] 2015, “Formula E: New timeline for electric car battery.” from batterybro.com.
- [2] J. M. Melillo, T. C. Richmond, and G. W. Yohe, “ Climate Change Impacts in the United States,” The Third National Climate Assessment. *U.S. Global Change Research Program.*, 2014.
- [3] 2015, “Delft DUT15.” from racecar-engineering.com.
- [4] Ma, Y. and Teng, H., "Comparative Study of Thermal Characteristics of Lithium-ion Batteries for Vehicle Applications," *SAE Technical Paper* 2011-01-0668, 2011, doi:10.4271/2011-01-0668.
- [5] Giese, R. and Walsh, W., "A Least-Cost Method for Prioritizing Battery Research," *SAE Technical Paper*, 1983, doi:10.4271/830221.
- [6] 2017-18 Formula SAE® Rules – September 2, 2016 Rev A
- [7] Samsung, “Introduction of INR18650-25R” Samsung SDI, Oct. 2013.
- [8] Oke, S. A., Oyekunle, A. A., Salau, T. A. O., et. al. “Estimation of Thermal Contact Resistance in Metal-Plastic interface of Semiconducting Electronic Devices” *Int. J. Nanoelectronics and Materials* 2 No.1 (2009)